

DAFTAR PUSTAKA

- Afroz, S., Zhang, Y., Nguyen, Q. D., Kim, T., & Castel, A. (2023). Shrinkage of blended cement concrete with fly ash or limestone calcined clay. *Materials and Structures/Materiaux et Constructions*, 56(1), 15. <https://doi.org/10.1617/s11527-023-02099-8>
- Arora, R., Kumar, K., Saini, R., Sharma, K., Dixit, S., Kumar Dixit, A., & Taskaeva, N. (2022). Potential utilization of waste materials for the production of green concrete: A review. *Materials Today: Proceedings*, 69, 317–322. <https://doi.org/10.1016/j.matpr.2022.08.542>
- ASTM 1437. (2020). *Standard test method for flow of hydraulic cement mortar*. <https://doi.org/10.1520/C1437-20>
- ASTM C109. (2020). *Standard test method for compressive strength of hydraulic cement mortars (using 2-in. or [50-mm] cube specimens)*. https://doi.org/10.1520/C0109_C0109M-23
- ASTM C128. (2022). *Standard test method for standard test method for relative density (specific gravity) and absorption of fine relative density (specific gravity) and absorption of fine aggregate aggregate*. <https://doi.org/10.1520/C0128-22>
- ASTM C136. (2019). *Standard test method for sieve analysis of fine and coarse aggregates*. https://doi.org/10.1520/C0136_C0136M-19
- ASTM C188. (2017). *Standard test method for density of hydraulic cement*. <https://doi.org/10.1520/C0188-17R23>
- ASTM C348. (2021). *Standard test method for flexural strength of hydraulic-cement mortars*. <https://doi.org/10.1520/C0348-21>
- ASTM C778. (2021). *Standard specification for standard sand*. <https://doi.org/10.1520/C0778-21>
- ASTM C191. (2021). *Standard test method for time of setting of hydraulic cement by vicat needle*. <https://doi.org/10.1520/C0191-21>
- Avet, F., & Scrivener, K. (2018). Investigation of the calcined kaolinite content on the hydration of Limestone Calcined Clay Cement (LC3). *Cement and Concrete Research*, 107, 124–135. <https://doi.org/10.1016/j.cemconres.2018.02.016>
- Avet, F., Snellings, R., Alujas Diaz, A., Ben Haha, M., & Scrivener, K. (2016). Development of a new rapid, relevant and reliable (R3) test method to evaluate the pozzolanic reactivity of calcined kaolinitic clays. *Cement and Concrete Research*, 85, 1–11. <https://doi.org/10.1016/j.cemconres.2016.02.015>
- Badan Pusat Statistik Indonesia. (2021). *The Indonesian quarrying statistics*.

- Dhar, M., & Bishnoi, S. (2024). Influence of calcination temperature on the physical and chemical characteristics of kaolinitic clays for use as supplementary cementitious materials. *Journal of Marine Science and Engineering*, 8(5), 301.
- Fernandez, R., Martirena, F., & Scrivener, K. L. (2011). The origin of the pozzolanic activity of calcined clay minerals: A comparison between kaolinite, illite and montmorillonite. *Cement and Concrete Research*, 41(1), 113–122.
<https://doi.org/10.1016/j.cemconres.2010.09.013>
- Lehmann, P., Leshchinsky, B., Gupta, S., Mirus, B. B., Bickel, S., Lu, N., & Or, D. (2021). Clays are not created equal: How clay mineral type affects soil parameterization. *Geophysical Research Letters*, 48(20). <https://doi.org/10.1029/2021GL095311>
- Liu, S., Zhang, T., Guo, Y., Wei, J., & Yu, Q. (2018). Effects of SCMs particles on the compressive strength of micro-structurally designed cement paste: Inherent characteristic effect, particle size refinement effect, and hydration effect. *Powder Technology*, 330, 1–11.
<https://doi.org/10.1016/j.powtec.2018.01.087>
- Nuhu, S., Ladan, S., & Umar Muhammad, A. (2020). Effects and control of chemical composition of klinker for cement Production. *International Journal of Control Science and Engineering*, 2020(1), 16–21. <https://doi.org/10.5923/j.control.20201001.03>
- Purushotham Reddy, K., Chandra Mohan Rao, B. D. V., Janardhan Yadav, M., & Swamy Naga Ratna Giri, P. (2020). Comparative studies on LC3based concrete with OPC & PPC based concretes. *Materials Today: Proceedings*, 43, 2368–2372.
<https://doi.org/10.1016/j.matpr.2021.01.833>
- Rodrigues, A. L. M. V., Mendes, Á. Á. F., Gomes, V., Battagin, A. F., Saade, M. R. M., & Da Silva, M. G. (2022). Environmental and mechanical evaluation of blended cements with high mineral admixture content. *Frontiers in Materials*, 9.
<https://doi.org/10.3389/fmats.2022.880986>
- Scrivener, K., Martirena, F., Bishnoi, S., & Maity, S. (2018). Calcined clay limestone cements (LC3). In *Cement and Concrete Research*, 114, 49–56.
<https://doi.org/10.1016/j.cemconres.2017.08.017>
- Sun, J., Zunino, F., & Scrivener, K. (2024). Hydration and phase assemblage of limestone calcined clay cements (LC3) with clinker content below 50 %. *Cement and Concrete Research*, 177, 107417. <https://doi.org/10.1016/j.cemconres.2023.107417>
- Weise, K., Ukrainczyk, N., & Koenders, E. (2023). Pozzolanic reactions of metakaolin with

calcium hydroxide: Review on hydrate phase formations and effect of alkali hydroxides, carbonates and sulfates. In *Materials and Design*, 231.

<https://doi.org/10.1016/j.matdes.2023.112062>

Yu, J., Wu, H. L., Mishra, D. K., Li, G., & Leung, C. K. (2021). Compressive strength and environmental impact of sustainable blended cement with high-dosage Limestone and Calcined Clay (LC2). *Journal of Cleaner Production*, 278.

<https://doi.org/10.1016/j.jclepro.2020.123616>

Zhang, D., Jaworska, B., Zhu, H., Dahlquist, K., & Li, V. C. (2020). Engineered Cementitious Composites (ECC) with limestone calcined clay cement (LC3). *Cement and Concrete Composites*, 114. <https://doi.org/10.1016/j.cemconcomp.2020.103766>