

DAFTAR REFERENSI

- Alipour, H., Sabahi, M., & Bannae Sharifian, M. B. (2015). Lateral stabilization of a four wheel independent drive electric vehicle on slippery roads. *Mechatronics*, 30, 275–285. <https://doi.org/10.1016/j.mechatronics.2014.08.006>
- Almeida Vianna, J. P. (2018). *Torque Vectoring in Electric Vehicles with In-wheel Motors* [Doctoral dissertation, Politecnico Di Torino]. <https://webthesis.biblio.polito.it/7733/>
- Antunes, J., Antunes, A., Outeiro, P., Cardeira, C., & Oliveira, P. (2019). Testing of a torque vectoring controller for a Formula Student prototype. *Robotics and Autonomous Systems*, 113, 56–62. <https://doi.org/10.1016/j.robot.2018.12.010>
- Antunes, J., Cardeira, C., & Oliveira, P. (2018). Torque Vectoring for a Formula Student Prototype. In A. Ollero, A. Sanfeliu, L. Montano, N. Lau, & C. Cardeira (Eds.), *ROBOT 2017: Third Iberian Robotics Conference* (Vol. 694, Issue September, pp. 422–433). Springer International Publishing. https://doi.org/10.1007/978-3-319-70836-2_35
- Araki, M., & Taguchi, H. (2003). Two-degree-of-freedom PID controllers. *International Journal of Control, Automation, and Systems*, 1(4), 401–411.
- Åström, K. J., & Hägglund, T. (1995). *PID Controllers: Theory, Design, and Tuning* (Vol. 2). Instrument society of America Research Triangle Park, NC.
- Bakker, E., Nyborg, L., & Pacejka, H. B. (1987). Tyre Modelling for Use in Vehicle Dynamics Studies. *SAE Technical Papers*. <https://doi.org/10.4271/870421>
- Bartels, M., Qin Liu, Kaiser, G., & Werner, H. (2013). LPV torque vectoring for an electric vehicle using parameter-dependent Lyapunov functions. *2013 American Control Conference*, 2012(3), 2153–2158. <https://doi.org/10.1109/ACC.2013.6580154>
- Cakir, K., & Sabanovic, A. (2006). In-wheel motor design for electric vehicles. *9th IEEE International Workshop on Advanced Motion Control*, 2006., 2006, 613–618. <https://doi.org/10.1109/AMC.2006.1631730>
- Chatzikomis, C., Zanchetta, M., Gruber, P., Sorniotti, A., Modic, B., Motaln, T.,

- Blagotinsek, L., & Gotovac, G. (2019). An energy-efficient torque-vectoring algorithm for electric vehicles with multiple motors. *Mechanical Systems and Signal Processing*, 128, 655–673. <https://doi.org/10.1016/j.ymssp.2019.03.012>
- Compare Solver - MATLAB & Simulink. (2020). <https://www.mathworks.com/help/simulink/ug/compare-solvers.html>
- Crolla, D. A., & Cao, D. (2012). The impact of hybrid and electric powertrains on vehicle dynamics, control systems and energy regeneration. *Vehicle System Dynamics*, 50(sup1), 95–109. <https://doi.org/10.1080/00423114.2012.676651>
- De Novellis, L., Sorniotti, A., & Gruber, P. (2014). Wheel torque distribution criteria for electric vehicles with torque-vectoring differentials. *IEEE Transactions on Vehicular Technology*, 63(4), 1593–1602. <https://doi.org/10.1109/TVT.2013.2289371>
- De Novellis, L., Sorniotti, A., Gruber, P., & Pennycott, A. (2014). Comparison of Feedback Control Techniques for Torque-Vectoring Control of Fully Electric Vehicles. *IEEE Transactions on Vehicular Technology*, 63(8), 3612–3623. <https://doi.org/10.1109/TVT.2014.2305475>
- Dendaluze Jahnke, M., Cosco, F., Novickis, R., Pérez Rastelli, J., & Gomez-Garay, V. (2019). Efficient Neural Network Implementations on Parallel Embedded Platforms Applied to Real-Time Torque-Vectoring Optimization Using Predictions for Multi-Motor Electric Vehicles. *Electronics*, 8(2), 250. <https://doi.org/10.3390/electronics8020250>
- Díaz-Rodríguez, I. D., Han, S., & Bhattacharyya, S. P. (2019). *Analytical Design of PID Controllers*. Springer International Publishing. <https://doi.org/10.1007/978-3-030-18228-1>
- Ding, S., Liu, L., & Zheng, W. X. (2017). Sliding Mode Direct Yaw-Moment Control Design for In-Wheel Electric Vehicles. *IEEE Transactions on Industrial Electronics*, 64(8), 6752–6762. <https://doi.org/10.1109/TIE.2017.2682024>
- Fallah, S., Khajepour, A., Fidan, B., Chen, S.-K., & Litkouhi, B. (2013). Vehicle Optimal Torque Vectoring Using State-Derivative Feedback and Linear Matrix Inequality. *IEEE Transactions on Vehicular Technology*, 62(4), 1540–

1552. <https://doi.org/10.1109/TVT.2012.2232947>
- Flugge-Lotz, I. (1971). Memorial to N. Minorsky. *IEEE Transactions on Automatic Control*, 16(4), 289–291. <https://doi.org/10.1109/TAC.1971.1099734>
- Fricano, A. (2019). *Design of Torque Vectoring system for Formula SAE electric vehicle* (Issue October) [Master's Thesis, Politecnico di Torino]. <https://webthesis.biblio.polito.it/12157/>
- Gan, Y. H., Xiong, L., Feng, Y., & Martinez, F. L. (2013). A torque vectoring control system for maneuverability improvement of 4WD EV. *Applied Mechanics and Materials*, 347–350, 899–903. <https://doi.org/10.4028/www.scientific.net/AMM.347-350.899>
- Ghezzi, M. K. (2017). *Control of a Four In-Wheel Motor Drive Electric Vehicle* (Issue September) [Master's Thesis, Polytechnic University of Catalonia]. <https://upcommons.upc.edu/bitstream/handle/2117/110298/ghezzi-tfmsept2017.pdf>
- Goggia, T., Sorniotti, A., De Novellis, L., Ferrara, A., Gruber, P., Theunissen, J., Steenbeke, D., Knauder, B., & Zehetner, J. (2015). Integral sliding mode for the torque-vectoring control of fully electric vehicles: Theoretical design and experimental assessment. *IEEE Transactions on Vehicular Technology*, 64(5), 1701–1715. <https://doi.org/10.1109/TVT.2014.2339401>
- Graebe, S. F., & Isaksson, A. J. (2002). Derivative filter is an integral part of PID design. *IEE Proceedings - Control Theory and Applications*, 149(1), 41–45. <https://doi.org/10.1049/ip-cta:20020111>
- IEA. (2019). *Global EV Outlook 2019: Scaling-up the transition to electric mobility*.
- Ifedi, C. J., Mecrow, B. C., Brockway, S. T. M., Boast, G. S., Atkinson, G. J., & Kostic-Perovic, D. (2013). Fault-Tolerant In-Wheel Motor Topologies for High-Performance Electric Vehicles. *IEEE Transactions on Industry Applications*, 49(3), 1249–1257. <https://doi.org/10.1109/TIA.2013.2252131>
- Jager, B., Neugebauer, P., Kriesten, R., Parspour, N., & Gutenkunst, C. (2015). Torque-vectoring stability control of a four wheel drive electric vehicle. *2015 IEEE Intelligent Vehicles Symposium (IV)*, 2015-Augus(Iv), 1018–1023. <https://doi.org/10.1109/IVS.2015.7225818>

- Jalali, K., Uchida, T., Lambert, S., & McPhee, J. (2013). Development of an Advanced Torque Vectoring Control System for an Electric Vehicle with In-Wheel Motors using Soft Computing Techniques. *SAE International Journal of Alternative Powertrains*, 2(2), 2013-01-0698. <https://doi.org/10.4271/2013-01-0698>
- Jazar, R. N. (2017). *Vehicle Dynamics* (3rd ed.). Springer International Publishing. <https://doi.org/10.1007/978-3-319-53441-1>
- Jazar, R. N. (2019). *Advanced Vehicle Dynamics*. Springer International Publishing. <https://doi.org/10.1007/978-3-030-13062-6>
- Jin, H., & Zhou, M. (2014). On the road friction recognition based on the driving wheels deceleration. *2014 IEEE Conference and Expo Transportation Electrification Asia-Pacific (ITEC Asia-Pacific)*, 1–8. <https://doi.org/10.1109/ITEC-AP.2014.6940633>
- Jonson, A., & Olsson, E. (2016). *A Methodology for Identification of Magic Formula Tire Model Parameters from In-Vehicle Measurements*. (Master's Thesis, Chalmers University of Technology).
- Kaiser, G. (2015). *Torque vectoring Linear Parameter-Varying Control for an Electric Vehicle* [Doctoral dissertation, Hamburg University of Technology]. <https://tore.tuhh.de/handle/11420/1230>
- Kaiser, G., Holzmann, F., Chretien, B., Korte, M., & Werner, H. (2011). Torque Vectoring with a feedback and feed forward controller - applied to a through the road hybrid electric vehicle. *2011 IEEE Intelligent Vehicles Symposium (IV)*, Iv, 448–453. <https://doi.org/10.1109/IVS.2011.5940459>
- Kaiser, G., Liu, Q., Hoffmann, C., Korte, M., & Werner, H. (2014). LPV Torque Vectoring for an Electric Vehicle with Experimental Validation. *IFAC Proceedings Volumes*, 47(3), 12010–12015. <https://doi.org/10.3182/20140824-6-ZA-1003.00163>
- Kaiser, G., Liu, Q., Hoffmann, C., Korte, M., & Werner, H. (2012). Torque vectoring for an electric vehicle using an LPV drive controller and a torque and slip limiter. *2012 IEEE 51st IEEE Conference on Decision and Control (CDC)*, 5016–5021. <https://doi.org/10.1109/CDC.2012.6426553>
- Kim, D., Shin, K., Kim, Y., & Cheon, J. (2010). Integrated Design of In-Wheel

- Motor System on Rear Wheels for Small Electric Vehicle. *World Electric Vehicle Journal*, 4(3), 597–602. <https://doi.org/10.3390/wevj4030597>
- Lee, H., & Utkin, V. I. (2007). Chattering suppression methods in sliding mode control systems. *Annual Reviews in Control*, 31(2), 179–188. <https://doi.org/10.1016/j.arcontrol.2007.08.001>
- Li Feiqiang, Wang Jun, & Liu Zhaodu. (2009). Motor torque based vehicle stability control for four-wheel-drive electric vehicle. *2009 IEEE Vehicle Power and Propulsion Conference*, 1596–1601. <https://doi.org/10.1109/VPPC.2009.5289613>
- M, A. P. K., Krishna, B. M., & Nair, U. (2013). Modified Chattering Free Sliding Mode Control of DC Motor. *Journal of Modern Engineering Research*, 3(3), 1419–1423. <http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.443.3265&rep=rep1&type=pdf>
- McTrusty, S. C. (2016). *Modelling and control of electric vehicles with individually actuated in-wheel motors* [Master's Thesis, University of Wollongong]. <https://ro.uow.edu.au/theses/4737/>
- Morris, C. (2017). *Elaphe tests its in-wheel motors in a BMW X6*. <https://chargedevs.com/newswire/elaphe-tests-its-in-wheel-motors-in-a-bmw-x6/>
- Murata, S. (2012). Innovation by in-wheel-motor drive unit. *Vehicle System Dynamics*, 50(6), 807–830. <https://doi.org/10.1080/00423114.2012.666354>
- Nise, N. S. (2011). *Control System Engineering* (6th ed.). John Wiley & Sons, Inc.
- Oh, K., Joa, E., Lee, J., Yun, J., & Yi, K. (2019). Yaw Stability Control of 4WD Vehicles Based on Model Predictive Torque Vectoring with Physical Constraints. *International Journal of Automotive Technology*, 20(5), 923–932. <https://doi.org/10.1007/s12239-019-0086-8>
- Pacejka, H. B., & Bakker, E. (1992). THE MAGIC FORMULA TYRE MODEL. *Vehicle System Dynamics*, 21(sup001), 1–18. <https://doi.org/10.1080/00423119208969994>
- Parra, A., Zubizarreta, A., Pérez, J., & Dendaluce, M. (2018). Intelligent Torque Vectoring Approach for Electric Vehicles with Per-Wheel Motors.

- Complexity*, 2018, 1–14. <https://doi.org/10.1155/2018/7030184>
- Passino, K. M., & Quijano, N. (2015). *Proportional-Integral-Derivative Control with Derivative Filtering and Integral Anti-Windup for a DC Servo PID Controllers and Root Locus Design*.
- Peasley, E. (2013). An Introduction to Using Simulink. In *University of Oxford: Department of Engineering Science*.
- Peng, Y., & Yang, X. (2012). Comparison of various double-lane change manoeuvre specifications. *Vehicle System Dynamics*, 50(7), 1157–1171. <https://doi.org/10.1080/00423114.2012.659741>
- Polyanin, A. D., & Zaitsev, V. F. (2018). *Handbook of ordinary differential equations: exact solutions, methods, and problems*. CRC Press.
- Rajamani, R. (2012). Vehicle Dynamics and Control. In *Control*. Springer US. <https://doi.org/10.1007/978-1-4614-1433-9>
- Ren, B., Chen, H., Zhao, H., & Yuan, L. (2015). MPC-based yaw stability control in in-wheel-motored EV via active front steering and motor torque distribution. *Mechatronics*, 38, 103–114. <https://doi.org/10.1016/j.mechatronics.2015.10.002>
- Safarudin, M. (2020). vehicle 14 dof simulink model. *MATLAB Central File Exchange*. <http://https://www.mathworks.com/matlabcentral/fileexchange/64545-vehicle-14-dof-simulink-model>
- Sawase, K., & Inoue, K. (2009). Maximum acceptable differential speed ratio of lateral torque-vectoring differentials for vehicles. *Proceedings of the Institution of Mechanical Engineers, Part D: Journal of Automobile Engineering*, 223(8), 967–978. <https://doi.org/10.1243/09544070JAUTO1148>
- Setiawan, J. D., Safarudin, M., & Singh, A. (2009). Modeling, simulation and validation of 14 DOF full vehicle model. *International Conference on Instrumentation, Communication, Information Technology, and Biomedical Engineering 2009*, 1–6. <https://doi.org/10.1109/ICICI-BME.2009.5417285>
- Siampis, E., Velenis, E., & Longo, S. (2015). Rear wheel torque vectoring model predictive control with velocity regulation for electric vehicles. *Vehicle System Dynamics*, 53(11), 1555–1579.

<https://doi.org/10.1080/00423114.2015.1064972>

- Stoop, A. (2014). *Design and Implementation of Torque Vectoring for the Forze Racing Car: In Collaboration with the Forze Hydrogen Racing Team* [Master's Thesis, Delft University of Technology]. <https://repository.tudelft.nl/islandora/object/uuid:720ca646-2936-4680-9a63-b7665822c83f?collection=education>
- Sulaiman, S., Mohd Samin, P., Jamaluddin, H., Abd Rahman, R., & Burhaumudin, M. S. (2012). Modeling and validation of 7-DOF ride model for heavy vehicle. *International Conference on Automotive, Mechanical and Materials Engineering*, 108–112.
- Suzuki, M., Okada, K., Sakai, K., & Makino, Y. (2007). Development of an In-Wheel Motor Axle Unit. *NTN Technical Review*, 75, 46–52.
- Tewari, A. (2002). *Modern Control Design with MATLAB and SIMULINK*. Wiley.
- The MathWorks Inc. (n.d.). *Two-Degree-of-Freedom PID Controllers - MATLAB & Simulink*. Retrieved April 4, 2020, from <https://www.mathworks.com/help/control/ug/two-degree-of-freedom-2-dof-pid-controllers.html>
- Toyoda, M., Moroto, S., Kawamoto, M., & Yamashita, M. (1994). *Driving force controller for electric motor vehicle*. <https://patents.google.com/patent/US5376868A/en>
- Wheals, J. C., Baker, H., Ramsey, K., & Turner, W. (2004). Torque vectoring AWD driveline: Design, simulation, capabilities and control. *SAE Technical Papers*, 2004(724). <https://doi.org/10.4271/2004-01-0863>
- Wong, A., Kasinathan, D., Khajepour, A., Chen, S.-K., & Litkouhi, B. (2016). Integrated torque vectoring and power management framework for electric vehicles. *Control Engineering Practice*, 48, 22–36. <https://doi.org/10.1016/j.conengprac.2015.12.012>
- Wong, J. Y. (2008). *Theory of Ground Vehicles* (4th ed.). John Wiley & Sons.